

Marine Hatch & Door Hardware



**Hinges • Gas Springs
Hasps & Staples • Catches & Strikes**

Stainless Steel • Brass



Guden

Overnight Design. Overnight Delivery.

GUDEN MARINE HATCH & DOOR HARDWARE

Guden has everything you're looking for in marine hardware—quality, selection and service. **Quality.** You can count on true-to-spec dimensions. Strong, corrosion-resistant materials. And superb finish. **Selection.** Guden supplies hinges, gas springs, hasps & staples, and catches in a full range of sizes and materials. So you can offer consistent quality throughout your boats. **Fast, Personal Service.** Everyone at Guden is focused on serving you quickly, courteously and effectively. With our advanced design and information systems, you're guaranteed fast turnaround and delivery.

ELECTRO-POLISHED STAINLESS STEEL BUTT HINGES


Part No.	Length	Width	Thickness	Number of Holes & Size
SP0990	2.00	1.50	.060	4 - #8 FHS
SP0991	2.00	1.75	.060	4 - #8 FHS
SP0992	2.00	2.00	.060	4 - #8 FHS
SP0993	3.00	2.00	.060	6 - #8 FHS
SP0994	3.00	3.00	.060	6 - #10 FHS
SP0997	1.50	1.31	.060	4 - #8 FHS
SP0998	1.50	2.75	.060	6 - #8 FHS
SP0999	1.50	2.00	.060	5 - #8 FHS
SP1004	1.50	2.63	.060	4 - #8 FHS
SP1005	1.50	2.00	.060	5 - #8 FHS
SP1012	1.06	4.00	.060	4 - #8 FHS



See back cover for drawings of each of our marine butt hinges.


POLISHED STAINLESS STEEL CONTINUOUS HINGES

Part No.	Leaf Thickness	Pin Dia.	Knuckle	Open Width	Length	Hole Diameter
SP05050404	.040	.091	.50	1.06	72.00	#5 CTSK
SP05050405	.040	.091	.50	1.25	72.00	#5 CTSK
SP05050406	.040	.091	.50	1.50	72.00	#6 CTSK
SP05050408	.040	.091	.50	2.00	72.00	#6 CTSK
SP07060406	.060	.120	.50	1.50	72.00	#6 CTSK
SP07060408	.060	.120	.50	2.00	72.00	#6 CTSK
SP07060410	.060	.120	.50	3.00	72.00	#6 CTSK



PLASTIC CONTINUOUS HINGES

Part No.	Dia.	Dia.	Stroke
PLAS10BLACK	.055	1.00	BLACK
PLAS10GRAY	.055	1.00	GRAY
PLAS10WHITE	.055	1.00	WHITE
PLAS15BLACK	.095	1.50	BLACK
PLAS15GRAY	.095	1.50	GRAY
PLAS15WHITE	.095	1.50	WHITE
PLAS20BLACK	.105	2.00	BLACK
PLAS20GRAY	.105	2.00	GRAY
PLAS20WHITE	.105	2.00	WHITE
PLAS30BLACK	.105	3.00	BLACK
PLAS30GRAY	.105	3.00	GRAY
PLAS30WHITE	.105	3.00	WHITE



STAINLESS STEEL GAS SPRINGS

Part No.	Rod Dia.	Tube Dia.	Stroke	Extended Length	Standard End Fittings	P1 Force
STS40	.235	.591	2.00	7.50	K	20,40,60,80,100
STS43	.235	.591	3.00	9.58	K	20,40,60,80,100
STS44	.235	.591	3.40	12.00	K	20,40,60,80,100
STS45	.235	.591	5.00	14.45	K	20,40,60,80,100
STS47	.235	.591	6.18	17.19	K	20,40,60,80,100
STS48	.235	.591	7.90	19.65	K	20,40,60,80,100
STS21	.315	.710	3.50	11.90	K, I	20,30,60,90,120
STS22	.315	.710	5.00	15.25	K, I	20,30,60,90,120
STS23	.315	.710	6.00	17.00	K, I	20,30,60,90,120
STS24	.315	.710	7.00	19.63	K, I	20,30,60,90,120
STS31	.39	.87	10.00	27.80	K, I	100,120,150,200



Request our Gas Spring Brochure for end fitting and bracket specifications.

ELECTRO-POLISHED STAINLESS STEEL HASPS & STAPLES

Part No.	Slotted Arm Length	Pad Length	Pin Length	Thickness	Holes	Use Staple Number
STS91125	2.50	1.12	1.00	.072	#6 CTSK	STS9132
STS91135	3.50	1.34	1.50	.077	#8 CTSK	STS9133
STS91145	4.50	2.25	1.50	.089	#8 CTSK	STS9133
STS91160	6.00	2.75	1.88	.107	#10 CTSK	STS9133
STS912	2.81	.75	1.12	.060	#8 CTSK	STS914

Note: STS914 is a twist lock staple, all others are fixed staples.




Part No. STS912

Part No. STS913 Fixed Staple

Part No. STS914 Twist Lock Staple


SOLID BRASS NON-MAGNETIC CATCHES

Part No.	Length	Width	Projection	Finish
1-04	1.86	.31	.51	Dull Brass
1-26D	1.86	.31	.51	Brushed Chrome
2-04	2.15	.43	.60	Dull Brass
2-26D	2.15	.43	.60	Brushed Chrome
3-04	3.10	.75	.88	Dull Brass
3-26D	3.10	.75	.88	Brushed Chrome



STAINLESS STEEL CATCHES & STRIKES

Part No.	Overall Length	Maximum Width	Holes
8330-32	2.09	1.06	.130
8331-32	2.43	1.03	.130
8332-32	2.25	.93	.130
8333-32	3.93	1.03	.195
8335-32	3.81	1.26	.218
8340-32	1.41	.53	.130
8341-32	2.75	1.14	.144
8342-32	3.34	1.82	.216



Part No. 8340

Part No. 8341

Part No. 8342


Parts 8330 & 8331

Part No. 8332


Part No. 8335

ELECTRO-POLISHED STAINLESS STEEL BUTT HINGES


Guden offers a full selection of high quality, electro-polished stainless steel butt hinges with deep countersunk holes. Please see page 2 for their corresponding specifications.




SP0990




SP0991




SP0992




SP0993




SP0994




SP0997



SP0998




SP0999




SP1012


CAD drawings of all the products in this brochure are available at www.guden.com.



SP1004



SP1005



Guden

H. A. Guden Co., Inc.
99 Raynor Avenue
Ronkonkoma, NY 11779-6634
800-3-HINGES • 631-737-2900
Fax: 631-737-2933
www.guden.com • info@guden.com

AD-105 7/01/01 © 2001, H. A. Guden Co., Inc.



Registered to ISO 9002
Certificate No. A1775