

# H.A. GUDEN CO., INC.


INCH - POUND

MS18012A  
w/AMENDMENT 1  
31 May 2018  
SUPERSEDING  
MS18012A  
15 JUNE 1978

## DETAIL SPECIFICATION SHEET

### HANDLE, METAL, SPRING BAIL TYPE

MS18012 w/Amendment 1 remains inactive for new design per Notice 1, 22 April 1998.



## MATERIAL EXCEPTION SEE BELOW

Comments, suggestions, or questions on this document should be addressed to Commander, U.S. Army Aviation and Missile Command, ATTN: AMSRD-AMR-SE-TD-ST, Redstone Arsenal, AL 35898-5000 or emailed to [Hattie.j.strong.civ@mail.mil](mailto:Hattie.j.strong.civ@mail.mil).

AMSC N/A

FSC 5340

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

MS18012A  
w/AMENDMENT 1

<u>DASH NO.</u>	<u>"A"</u>	<u>HOLES</u>	<u>BAIL MATERIAL</u>	<u>SPRING MATERIAL</u>
-1	4.375 ± .125	AS SHOWN	CRES, AISI 416	MUSIC WIRE, CAD PLATED
-2	4.375 ± .125	NONE	CRES, AISI 416	MUSIC WIRE, CAD PLATED
-3	4.375 ± .125	AS SHOWN	CRES, AISI 416	CRES, AISI 416
-4	4.375 ± .125	NONE	CRES, AISI 416	CRES, AISI 416
-5	4.375 ± .125	AS SHOWN	STEEL, AISI 1010, CAD PLATED	CRES, AISI 416
-6	4.375 ± .125	NONE	STEEL, AISI 1010, CAD PLATED	CRES, AISI 416
-7	3.500 ± .125	AS SHOWN	CRES, AISI 416	CRES, AISI 416

## SPRING MATERIAL: CRES, ANSI 302 -3 THRU -7

### NOTES:

1. Materials (a) Backplate, aluminum, type 6061, T4, caustic dipped and alodine treated.  
(b) Grip, aluminum with rubber cover.
2. Dimensions are in inches. Unless otherwise specified, tolerances decimals ± .015.
3. Drain holes optional.

#### CUSTODIANS:

Army –MI  
NAVY - OS  
DLA – IS

#### PREPARING ACTIVITY:

Army – MI

(5340-2018-008)

NOTE: All activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <https://assist.dla.mil>.